



JEFFERSON PARISH LOUISIANA

PURCHASING DEPARTMENT

September 15, 2009

AARON F. BROUSSARD
PARISH PRESIDENT

ADDENDUM #1

Our Mission Is:
"Provide the services,
leadership, and vision to
improve the quality of life
in Jefferson Parish."

PATRICIA W. LASSALLE
PURCHASING DIRECTOR

Bid No.: 50-95368/SOLICITATION 193

Bid Opening Date: 09/29/2009

For: LABOR, MATERIALS & EQUIPMENT NECESSARY TO FURNISH & INSTALL A
CONCRETE CHAIN WALL & WOODEN FENCE FOR THE JEFFERSON PARISH
DEPARTMENT OF PARKS AND RECREATION

PLEASE NOTE THE FOLLOWING CHANGES AND ADDITIONS TO THE BID SPECIFICATIONS AND ADJUST YOUR BID ACCORDINGLY:

Chain wall to follow grade of existing side walk. Chain wall to be poured 18 inches x 12 inches on top of grade, 3000 pound mix design. 2 rod continuous #5 rebar.
2-1/2" Schedule 40 pipe set 8 feet apart, 3 feet of pipe in ground. Nails should be hot dipped ring shanked.
1 cedar, 6 foot dog eared fence boards mounted on 2 runners of treated pine. Fence line to stay to west of existing drain line. No demo work needed.

Site is to be left in pre work conditions. All ruts or damage to fields must be repaired. Dirt used to make any repairs of fill must be a 60 / 40 high clay content mix. All work shall be performed in a neat and workmanlike manner.

ADD requirement #3 on Page 2 of the bid form to the ADDITIONAL REQUIREMENTS FOR THIS BID box.

BID OPENING DATE WILL REMAIN THE SAME

THIS ADDENDUM FORMS A PART OF THE CONTRACT DOCUMENTS AND MODIFIES THE ORIGINAL BIDDING DOCUMENTS AND SPECIFICATIONS. THE CONTENTS OF THIS ADDENDUM SHALL BE INCLUDED IN THE CONTRACT DOCUMENTS. CHANGES MADE BY THIS ADDENDUM SHALL TAKE PRECEDENCE OVER THE DOCUMENTS OF EARLIER DATE.

Sincerely,

Stella Vasquez, Buyer II
JP Purchasing Department

PLEASE SIGN AND RETURN THIS ADDENDUM IN ITS ENTIRETY WITH THE BID PROPOSAL:

COMPANY NAME: _____

SIGNATURE: _____

DATE: _____

